LOC I-JAX	APP CRS	Rwy Ldg 10000
110.7	077°	TDZE 30
		Apt Elev 30

ILS Y RWY 8 (SA CAT I)


JACKSONVILLE INTL (JAX)

Requires specific OPSPEC, MSPEC, or LOA approval.

ALSF-2


MISSED APPROACH: Climb to 1000 then climbing left turn to 3000 on heading 250° and on CRG VORTAC R-290 to MONIA INT/CRG 29.2 DME/RADAR and hold.

D-ATIS	JACKSONVILLE APP CON	JACKSONVILLE TOWER	GND CON
125.85	119.0 269.9	118.3 317.7	121.9 348.6



Procedure NA for arrival on CRG VORTAC airway radials 290 CW 336.


ELEV 30	TDZE 30



VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 70).

CATEGORY	A	B	C	D
S-ILS 8	RA 175/14 150 DA 180			

SA CATEGORY I - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED



REIL Rwy 32
TDZL/RCLS Rwys 8, 14, and 26
HIRL Rwys 8-26 and 14-32

SE-3, 29 OCT 2026 to 26 NOV 2026
SE-3, 29 OCT 2026 to 26 NOV 2026